



G R E S H A M
S M I T H A N D
P A R T N E R S

MEMORANDUM

**SUBJECT: CODE RESEARCH: PLUMBING COUNT
FOUNDERS HALL (BUILDING 002)**

I. First Floor Plumbing Count:

-First Floor Assembly (400 occupants)
Men's Restrooms=2 water closets, 1 lavatories
Women's Restrooms=4 water closets, 1 lavatories
1 Drinking fountain required
1 Service sink required

- First Floor Business (281 occupants)
Men's Restrooms=4 water closets, 4 lavatories
Women's Restrooms=4 water closets, 4 lavatories
3 drinking fountains required
No Service sink required

-First Floor Totals:
Men's Restrooms=6 water closets, 5 lavatories
Women's Restrooms=8 water closets, 5 lavatories

II. Second Floor Plumbing Count:

- Second Floor Business (357 occupants)
Men's Restrooms=5 water closets, 4 lavatories
Women's Restrooms=5 water closets, 4 lavatories
4 drinking fountains required
No service sinks required

-Second Floor Totals:
Men's Restrooms=5 water closets, 4 lavatories
Women's Restrooms=5 water closets, 4 lavatories
4 drinking fountains

Design Services For The Built Environment

5220 Belfort Road, Suite 100 / Jacksonville, Florida 32256 / Phone 904.332.6699 / www.gspnet.com

Firm's Florida Cert. No. AAP000034 / EB0003806 / IB26000797